


Samples


FOR BEDDING





Facts about Fibertex

Fibertex Nonwovens is a market-leading manufacturer of nonwovens for industrial and technical applications. With corporate office in Aalborg, Denmark, and manufacturing sites in Denmark, the Czech Republic, France, the USA, South Africa, Turkey and Brazil Fibertex is globally represented. Since its foundation in 1968, Fibertex has expanded continuously and today manufactures nonwovens for customers all over the world for many different applications.



The Fibertex way

Fibertex supply chain management ensures that we fulfil our customers' demands. This process is an efficient management tool which enables us to maintain our superior level of technical support, R&D, logistics, production and quality in all areas.


Applications



*Pocket cloth
Spunbond*



*Pocket cloth
Needlepunch*



Separation layer



Quilt backing

Fibertex nonwovens for bedding - standard range

Rev. 009-0424

| Type | Weight (g/m ²) | Colours (Spec. no.) | | | Thickness (mm) | Breaking strength (N) | | Elongation at 90 N (%) | | Tear resistance (N) | | Bending length (N) | |
|---------------|----------------------------|---------------------|------|-------|----------------|-----------------------|-----|------------------------|----|---------------------|-----|--------------------|-----|
| | | White | Grey | Blue2 | EN/ISO 9073-2 | EN ISO 9073-18 | | EN ISO 9073-18 | | EN/ISO 9073-4 | | EN/ISO 9073-7 | |
| Needlepunched | | | | | | MD | CD | MD | CD | MD | CD | MD | CD |
| PocketLine | 75 | 7003 | 7008 | 7007 | 0.55 | 220 | 265 | 18 | 23 | 105 | 85 | 5 | 5 |
| CoverLine FR | 75 | 7041 | - | - | 0.55 | 220 | 265 | 18 | 23 | 105 | 85 | 5 | 5 |
| PocketLux | 100 | 7000 | - | - | 0.65 | 265 | 355 | 16 | 19 | 135 | 105 | 5.3 | 5.3 |

| Type | Weight (g/m ²) | Colour (Spec. no.) | Thickness (mm) | Tensile strength (N) | | Elongation at 25 N (%) | | Tear resistance (N) | |
|--------------|----------------------------|--------------------|----------------|----------------------|----|------------------------|-----|---------------------|-----|
| | | | EN/ISO 9073-2 | EN/ISO 9073-3 | | EN/ISO 9073-3 | | EN/ISO 9073-4 | |
| Spunbond | | White | | MD | CD | MD | CD | MD | CD |
| Spunbond 14g | 14 | HX0101400 | N/A | 33 | 16 | N/A | N/A | N/A | N/A |
| Spunbond 40g | 40 | HX220400X | 0.35 | 95 | 60 | N/A | N/A | 30 | 45 |
| Spunbond 50g | 50 | IX220500X | 0.4 | 120 | 80 | 2.5 | 7 | 40 | 60 |
| Spunbond 57g | 57 | A10570AB | 0.43 | 135 | 80 | 2.5 | 7 | 40 | 65 |
| Spunbond 72g | 72 | A10720AB | 0.5 | 140 | 90 | 2 | 4.5 | 55 | 80 |

MD: Machine direction CD: Cross direction

All values are target values

Widths/roll lengths:
Fibre composition:
Certificates:
Material safety data sheet (MSDS):

According to agreement
Polypropylene or blends of polypropylene and polyester
Oekotex Standard 100 Group 1 baby skin contact, ISO 9001, ISO 14001
Available on request



Business Areas




ACOUSTICS



AUTOMOTIVE



BEDDING



BUILDING



COMPOSITES



CONCRETE



FILTRATION



FLOORING



FURNITURE




GEOTEXTILES



MEDICO



WIPES



Fibertex

N O N W O V E N S

FIBERTEX.COM